

LAB USE ONLY

CASE NUMBER: \_\_\_\_\_  
 DATE RECEIVED BY LAB: \_\_\_\_\_  
 DATE RETURNED: \_\_\_\_\_

DOCTOR PLEASE PRINT \_\_\_\_\_ PATIENT NAME \_\_\_\_\_  
 DELIVERY ADDRESS \_\_\_\_\_ AGE \_\_\_\_\_ SEX \_\_\_\_\_  
 CITY, ST, COUNTRY \_\_\_\_\_ IMPRESSION DATE \_\_\_\_\_  
 REQUEST DATE (APPROXIMATE) \_\_\_\_\_ DATE SHIPPED TO BHE \_\_\_\_\_

**RESTORATION**

- DIAGNOSTIC WAX UP
- PORCELAIN LAMINATE VENEER
- DIGITAL FULL YELLOW GOLD CROWN
- ZIRCONIA CROWN (LAYERED WITH ZIRCONIA CERAMIC)
- IPS e.max ZirCAD FULL ZIRCONIA (POSTERIOR ONLY)
- IPS e.max CROWN & VENEER (LAYERED WITH CERAMIC)

- SHADE \_\_\_\_\_  
 DENTIN SHADE \_\_\_\_\_  
 WILL EMAIL PHOTOS



**MEASUREMENT**

VERTICAL DIMENSION \_\_\_\_\_ mm OPEN BITE  
 VERTICAL MEASUREMENT \_\_\_\_\_ mm

**ANTERIOR LENGTH**

CENTRAL \_\_\_\_\_ mm  
 LATERAL \_\_\_\_\_ mm  
 CANINE \_\_\_\_\_ mm

**OCCLUSAL**

- STAIN  
 NONE  MATCH

**INCISAL TRANSLUCENCY**

- MINIMAL
- MODERATE (1.0 mm)
- MAXIMUM (1.5 mm)

**CONTACT**

- IN OCCLUSION
- SLIGHTLY OUT
- OUT OF OCCLUSION

**SURFACE TEXTURE**

- HIGH  MEDIUM
- LIGHT  SMOOTH

**IF NO OCCLUSAL CLEARANCE**

- SPOT OPPOSING
- REDUCTION COPING
- CALL \_\_\_\_\_

**SURFACE FINISH**

- HIGH GLAZE  POLISHED GLOSS
- SATIN  LOW GLOSS

**INTERPROXIMAL CONTACT**

- NORMAL  BROAD

**IMPLANT ABUTMENT**

- CEMENT-RETAINED  SCREW RETAINED
- CUSTOM ZIRCONIA  CUSTOM TITANIUM
- ATLANTIS  ZIMVIE
- TYPE & SIZE \_\_\_\_\_

**EMBRASURE**

- CLOSED  OPEN

**DIASTEMA**

- CLOSED  OPEN

Signature \_\_\_\_\_ License Number \_\_\_\_\_



# BEVERLY HILLS ESTHETIC

**ADDITIONAL INSTRUCTIONS**

Please Print - we are not responsible if we can't read your instructions. Avoid abbreviations.

BISQUE TRY-IN